


CEILING LIGHT



## CEILING LIGHT



# CEILING LIGHT



## XD2135

IP20 CE RoHS



Aluminum Ceiling Light, Head Fixed

Model	Power	LEDs	Driver	Flux	CCT	CRI	Carton Dimension	PCS/Carton	G.W.
XD2135	15W	EPISTAR	AREEK	1095lm	3000K	>80	450X395X300mm	24	14.7 kg
XD2135	15W	CITIZEN	TRIDONIC	1050lm	3000K	>90	450X395X300mm	24	14.7 kg
XD2135	20W	EPISTAR	AREEK	1400lm	3000K	>80	450X395X300mm	24	14.7 kg
XD2135	20W	CITIZEN	TRIDONIC	1320lm	3000K	>90	450X395X300mm	24	14.7 kg

### Surface Finish



### Character Optional



# CEILING LIGHT



## XD2136

IP20 CE RoHS



Aluminum Ceiling Light, Head Fixed

Model	Power	LEDs	Driver	Flux	CCT	CRI	Carton Dimension	PCS/Carton	G.W.
XD2136	25W	EPISTAR	AREEK	1575lm	3000K	>80	480X330X225mm	12	13.14 kg
XD2136	25W	CITIZEN	TRIDONIC	1525lm	3000K	>90	480X330X225mm	12	13.14 kg
XD2136	30W	EPISTAR	AREEK	1770lm	3000K	>80	480X330X225mm	12	13.14 kg
XD2136	30W	CITIZEN	TRIDONIC	1770lm	3000K	>90	480X330X225mm	12	13.14 kg


### Surface Finish



### Character Optional



# CEILING LIGHT



**XD2145**



IP20

CE RoHS

**480LM @ 3000K / CRI 80 / 4° / 25° / CREE**

220~240V AC 50/60 Hz, 8W, ( Dimmable Optional)  
Aluminum Tilted Ceiling Light

## Packing Information


Carton Dimension: 445X225X470mm  
PCS/Carton: 16  
Carton G.W.: 14 kg

## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Character Optional





**XD2104**

   RoHS

**840LM @ 3000K / CRI 80 / 35° / Bridgelux**

110~230V AC 50/60 Hz, 12W, AREEK, (Dimmable Optional)  
Aluminum Tilted and Rotatable Ceiling Light

**Packing Information**

Carton Dimension: 595X245X200mm  
PCS / Carton: 10  
Carton G.W.: 9 kg


**Surface Finish**

Sand White  
Sand Grey  
Sand Black

**Character Optional**

HIGH CRI	>80 >90	CCT	3000K 4000K	BEAM	35°
-------------	------------	-----	----------------	------	-----

# CEILING LIGHT



## XD2150

**1080LM @ 3000K / CRI 80 / 15° / 24° / 36° / CITIZEN**

100~240V AC 50/60 Hz, 12W, Global, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed  
Adaptor Driver Inside

### Packing Information

Carton Dimension: 575X380X440mm  
PCS/Carton: 8  
Carton G.W.: 14.5 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2153**   **CE RoHS**

**1080LM @ 3000K / CRI 80 / 15° / 24° / 36° / CITIZEN**

100~240V AC 50/60 Hz, 12W, Global, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed  
Adaptor Driver Inside

## Surface Finish


Sand White  
Sand Grey  
Sand Black

## Character Optional





# CEILING LIGHT



**XD2115**

IP20 CE RoHS


**510LM @ 3000K / CRI 80 / 25° / CREE**

110~230V AC 50/60 Hz, 17W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

### Packing Information

Carton Dimension: 370X280X105mm  
PCS / Carton: 8  
Carton G.W.: 17kg


### Surface Finish



### Character Optional



# CEILING LIGHT



**XD2121**



CE RoHS

**2370LM @ 3000K / CRI 80 / 25° / CREE+SMD**

220~240V AC 50/60 Hz, 60W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


### Packing Information

Carton Dimension: 370X280X105mm  
PCS / Carton: 8  
Carton G.W.: 17kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2152



IP20

CE RoHS

**2X840LM @ 3000K / CRI 80 / 25° / 38° / 60° / Bridgelux**

110~240V AC 50/60 Hz, 2X8W, Areek, ( Dimmable Optional)  
Aluminum Rotatable and Tilted Ceiling Light

### Packing Information

Carton Dimension: 435X385X220 mm  
PCS/Carton: 24  
Carton G.W.:16.9 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2151**



IP20



RoHS

**840LM @ 3000K / CRI 80 / 25° / 38° / 60° / Bridgelux**

110~240V AC 50/60 Hz, 8W, AREEK, (Dimmable Optional)  
Aluminum Rotatable and Tilted Ceiling Light

### Packing Information

Carton Dimension: 300X285X220mm  
PCS / Carton: 24  
Carton G.W.: 9.3 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2131**    

**650LM @ 3000K / CRI 80 / 10° / 20° / 30° / ZMO**

220~240V AC 50/60 Hz, 10W, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Character Optional



# CEILING LIGHT



## XD2048

**3200LM @ 3000K / CRI 80 / 25° / CITIZEN**

110~230V AC 50/60 Hz, 40W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Gimbal


### Packing Information

Carton Dimension: 435X435X410mm  
PCS / Carton: 12  
Carton G.W.: 15.7kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2055A

   IP65 CE RoHS

**2100LM @ 3000K / CRI 80 / 100° / NICHIA**

110~230V AC 50/60 Hz, 32W, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


### Packing Information

Carton Dimension: 575X380X440mm  
PCS/Carton: 8  
Carton G.W.: 14.5 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2055B

   IP65 CE RoHS

**2100LM @ 3000K / CRI 80 / 25° / Bridgelux**

110~230V AC 50/60 Hz, 32W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


### Packing Information

Carton Dimension: 370X280X105mm  
PCS / Carton: 8  
Carton G.W.: 17kg

### Surface Finish


Sand White  
Sand Grey  
Sand Black

### Character Optional





# CEILING LIGHT



## XD2022A

   IP20 CE RoHS

**2600LM @ 3000K / CRI 80 / 18° / Bridgelux**

110~230V AC 50/60 Hz, 35W, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Gimbal


### Packing Information

Carton Dimension: 480X355X350mm  
PCS/Carton: 12  
Carton G.W.: 18 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2022-L50

**2600LM @ 3000K / CRI 80 / 18° / Bridgelux**

110~230V AC 50/60 Hz, 35W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Gimbal

### Packing Information

Carton Dimension: 515X270X630mm  
PCS / Carton: 8  
Carton G.W.: 13.4 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2059 / XD2060 / XD2061

IP20 CE RoHS

**Flux @ 3000K / CRI 80 / 110° / NATIONSTAR**


110~230V AC 50/60 Hz, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

Model	Power	Flux	D X H	Carton Dimension	Pcs/ctn	GW
XD2059	22W	1500lm	Φ405X40mm	430X430X330mm	6	7.5 kg
XD2060	34W	2300lm	Φ505X40mm	545X280X530mm	4	7.0 kg
XD2061	40W	2800lm	Φ605X40mm	630X630X110mm	2	5.0 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2044 / XD2045 / XD2046 / XD2047

### Flux @ 3000K / CRI 80 / 80° / NATIONSTAR

110~230V AC 50/60 Hz, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

Model	Power	Flux	D X H	Carton Dimension	PCS/carton	GW
XD2044	7W	450lm	Φ95X94 mm	315X215X420mm	24	20.0 kg
XD2045	11W	750lm	Φ124X108 mm	275X275X350mm	12	16.0 kg
XD2046	23W	1600lm	Φ140X118 mm	320X320X410mm	8	15.0 kg
XD2047	45W	2800lm	Φ205X132 mm	435X220X440mm	8	14.0 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2036-1

   IP20 CE RoHS

**770LM @ 3000K / CRI 80 / 30° / Bridgelux**

110~230V AC 50/60 Hz, 11W, AREEK, ( Dimmable Optional)  
Aluminum Tilted Ceiling Light


### Packing Information

Carton Dimension: 435X345X225mm  
PCS/Carton: 12  
Carton G.W.: 12.4 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2036-2**

   **IP20 CE RoHS**

**2X770LM @ 3000K / CRI 80 / 30° / Bridgelux**

110~230V AC 50/60 Hz, 2x11W, AREEK, (Dimmable Optional)  
Aluminum Tilted Ceiling Light


## Packing Information

Carton Dimension: 455X275X275mm  
PCS / Carton: 8  
Carton G.W.: 14.5 kg


## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Character Optional



# CEILING LIGHT



## XD2078 / XD2079 / XD2080



### Flux @ 3000K / CRI 80 / 115° / EDISON

110~230V AC 50 Hz, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

Model	Power	Flux	D X H	Carton Dimension	PCS/carton	G.W.
XD2078	8W	400 lm	Φ124X45 mm	405X275X235 mm	24	9.5 kg
XD2079	12W	550 lm	Φ182X45 mm	485X395X230 mm	24	19.0 kg
XD2080	16W	850 lm	Φ222X46 mm	475X475X240 mm	16	17.8 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2096 / XD2097


   IP20 CE RoHS

### Flux @ 3000K / CRI 80 / 115° / PUSISAT



220~240V AC 50/60 Hz, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

Model	Power	Flux	D X H	Carton Dimension	PCS/carton	G.W.
XD2096	30W	1500 lm	Φ417X82 mm	470X465X420 mm	4	6.0 kg
XD2097	25W	1250 lm	Φ368X82 mm	420X415X420 mm	4	4.6 kg

### Surface Finish


-  Golden
-  Red
-  Black

### Character Optional

	>80		3000K 4000K		115°
-------------------------------------------------------------------------------------	-----	-------------------------------------------------------------------------------------	----------------	-------------------------------------------------------------------------------------	------



# CEILING LIGHT



## XD2019

   IP20 CE RoHS

**770LM @ 3000K / CRI 80 / 30° / Bridgelux**

110~230V AC 50/60 Hz, 10W, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


### Packing Information

Carton Dimension: 670X275X200mm  
PCS/Carton: 10  
Carton G.W.: 10.3 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2020**

   IP20 CE RoHS

**770LM @ 3000K / CRI 80 / 30° / Bridgelux**

110~230V AC 50/60 Hz, 10W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

## Packing Information

Carton Dimension: 595X245X200mm  
PCS / Carton: 10  
Carton G.W.: 9 kg


## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Character Optional



# CEILING LIGHT



## XD2106 / XD2107

### Flux @ 3000K / CRI 80 / 50° / EVERCORE

110~230V AC 50/60 Hz, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed

Model	Power	Flux	L X W X H	Carton Dimension	PCS/carton	G.W.
XD2106	26 W	1880 lm	130X130X133 mm	425X425X310 mm	18	15.4 kg
XD2107	40 W	3720 lm	160X160X162 mm	525X355X355 mm	12	14.6 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



**XD2081**

   **IP20 CE RoHS**

**1920LM @ 3000K / CRI 80 / 110° / EDISON**

110~230V AC 50/60 Hz, 30W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light


## Packing Information

Carton Dimension: 395X395X540mm  
PCS / Carton: 4  
Carton G.W.: 6.1 kg


## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Character Optional



# CEILING LIGHT



## XD2017

   IP20 CE RoHS

**1300LM @ 3000K / CRI 80 / 110° / LUMENMAX**

110~230V AC 50/60 Hz, 24W, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light, Head Fixed


### Packing Information

Carton Dimension: 350X350X400mm  
PCS/Carton: 4  
Carton G.W.: 10 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2018

**990LM @ 3000K / CRI 80 / 100° / LUMENMAX**

110~230V AC 50/60 Hz, 18W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light


### Packing Information

Carton Dimension: 640X250X235mm  
PCS / Carton: 2  
Carton G.W.: 5.5 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2077-1

   IP20 CE RoHS

**1050LM @ 3000K / CRI 80 / 60° / EPISTAR**

100~240V AC 50/60 Hz, 16W, AREEK, ( Dimmable Optional)  
Aluminum Ceiling Light

### Packing Information

Carton Dimension: 435X315X195mm  
PCS / Carton: 12  
Carton G.W.: 9.2 kg


### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Character Optional



# CEILING LIGHT



## XD2077-2

   IP20 CE RoHS

**2100LM @ 3000K / CRI 80 / 60° / EPISTAR**

100~240V AC 50/60 Hz, 2x16W, AREEK, (Dimmable Optional)  
Aluminum Ceiling Light

### Packing Information

Carton Dimension: 435X425X195mm  
PCS / Carton: 8  
Carton G.W.: 10 kg

### Surface Finish


Sand White  
Sand Grey  
Sand Black

### Character Optional





# CEILING LIGHT HOUSING



**XD2065**

## Aluminum Die-casting LED Housing

Lamp Type: MR16 standard, GU10 Optional  
Aluminum Tilted LED Housing

## Packing Information

Carton Dimension: 435X435X410mm  
PCS / Carton: 12  
Carton G.W.: 6 kg


## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Lamp Optional



# CEILING LIGHT Housing



**XD2066**

   IP20 CE RoHS

## Aluminum Die-casting LED Housing

Lamp Type: MR16 standard, GU10 Optional  
Aluminum Tilted LED Housing

### Packing Information

Carton Dimension: 435X435X410mm  
PCS / Carton: 12  
Carton G.W.: 4 kg

### Surface Finish

Sand White  
Sand Grey  
Sand Black

### Lamp Optional




LED MR16



LED GU10

# CEILING LIGHT HOUSING



**XD2105**



## Aluminum Die-casting LED Housing

Lamp Type: MR16 standard, GU10 Optional  
Aluminum Tilted LED Housing

## Packing Information

Carton Dimension: 435X435X410mm  
PCS / Carton: 12  
Carton G.W.: 6 kg

## Surface Finish

Sand White  
Sand Grey  
Sand Black

## Lamp Optional



LED MR16



LED GU10

## CEILING LIGHT Housing

