

2018 NEW ARRIVALS

KETAI[®]

LIGHTING MANUFACTURER

NEW ARRIVALS 2018

KETAI INDUSTRIES LIGHTING CO., LTD

Ketai Building, 4 Mashe New Street
Lishui, Nanhai, Post code 528244, Foshan
Guangdong, China

Phone: +86 757 8560 7707

Fax: +86 757 8560 3675

e-mail: sales@ketailighting.com



www.ketailighting.com





Catalog download



JOIN US

FAMILY INDEX





IVORY

This series of LED recessed spotlight adopts the design of Zipper which makes it easily adjust the head body, focusing on the position based on customer's request. As well, it can rotate 180 degrees, flexibly change the direction of light. This series is designed with different sizes for your choose. It is very suitable to apply in museum, display center, etc. Unique design, better performance and good quality giving you the special usage experience.



Adjust Easily
Deeply Anti-Glare



Adjust Easily



KT6775 10W 650LM CRI>80 24° / 45° size Ø85x70mm cutout Ø75mm	KT6776 15W 1125LM CRI>80 15° / 24° / 38° / 60° size Ø115x90mm cutout Ø100mm	KT6777 25W 2000LM CRI>80 15° / 24° / 38° / 60° size Ø140x110mm cutout Ø128mm	KT6778 35W 2625LM CRI>80 15° / 24° / 38° / 60° size Ø165x130mm cutout Ø153mm	KT6779 45W 3375LM CRI>80 15° / 24° / 38° / 60° size Ø190x160mm cutout Ø175mm
--	---	--	--	--



THUNDER


With the unique design of stereoscopic impression, our THUNDER family has deeply anti-glare feature, and tiltable head, which meets the needs of most situations. And in order to satisfy the aesthetic requirements of different people, we offer two shapes, round and square for your choice



38mm
Deeply Anti-Glare




38mm
Deeply Anti-Glare



KT6782
10W 500LM CRI>80
15° / 24° / 38°
cutout Ø98mm



KT6781
10W 500LM CRI>80
15° / 24° / 38°
cutout 98x98mm





DIY

This series recessed downlight is also the modular fixture, which means it can be separated in 4 parts, front ring, middle ring, heat sink, and the driver. It is very convenient for maintenance. As well, it has multiple colors of the front ring for choice. Apply these downlights in the hotel, looks simple, but in good taste.



KT6544



KT6747




KT6543




KT6748




Front Ring
golden
silver
gun grey
black




KT6747
10W 660LM 3000K CRI>80
size Ø68x79mm
cutout 75x130mm



KT6544
30W 2550LM 3000K CRI>80
size Ø113x108.7mm
cutout 175x118mm



KT6748
10W 660LM 3000K CRI>80
size Ø102x75mm
cutout Ø75mm





KT6543
30W 2550LM 3000K CRI>80
size Ø127x108.5mm
cutout Ø115mm



CANEO

The LED modules are designed for not only simple mounting structure into a luminaire but also effective thermal management. The LED modules are already integrated with a housing, reflector and diffusers as a unit module for the light solution and it support different fixture. Easy installation, reducing stock.





ABRAS

Integration design of Optical and Anti glare with Fresnel lens application in order to anti-glare lighting can provide innovative and comfortable solutions.



KT6759
11W / 527LM / 50°
size Ø115x66mm
cutout Ø105mm



KT6761
22W / 1452LM / 50°
size Ø139x78mm
cutout Ø125mm



KT6763
28W / 1518LM / 50°
size Ø160x85mm
cutout Ø145mm



KT6765
36W / 2322LM / 50°
size Ø195x95mm
cutout Ø180mm





KT6767
50W / 3050LM / 50°
size Ø230x100mm
cutout Ø215mm



HUZAR

The integrated design of optics and the smooth and clean anti glare part present the unique and fashion charm for the lighting system in a space. The application of Fresnel lens provide a modern and comfortable solution for anti-glare lighting.



KT6760
10W / 745LM / 50°
size 115x115x63mm
cutout 105x105mm



KT6762
22W / 1436LM / 50°
size 140x140x75mm
cutout 125x125mm



KT6764
28W / 2086LM / 50°
size 160x160x81mm
cutout 145x145mm



KT6766
36W / 2574LM / 50°
size 195x195x96mm
cutout 170x170mm



HORN-S

Our HORN recessed downlights are based on simple modern design. They come in variety of shapes and sizes. It is a wonderful way to add fresh style to your home or to your shop.
 Deeply anti-glare reflector creates visual comfort.
 Thermally engineered heatsink is robust and offers cooler operation.





HORN-M

Our HORN recessed downlights are based on simple modern design. They come in variety of shapes and sizes. It is a wonderful way to add fresh style to your home or to your shop.
Deeply anti-glare reflector creates visual comfort.
Thermally engineered heatsink is robust and offers cooler operation.



KT6757A

KT6757B

KT6757C



KT6757C 20W 1200LM
12° / 24° / 36°
cutout Ø128mm



KT6757A 20W 1200LM
12° / 24° / 36°
cutout Ø93mm



KT6757B 20W 1200LM
12° / 24° / 36°
cutout Ø128mm





HORN-B

Our HORN recessed downlights are based on simple modern design. They come in variety of shapes and sizes. It is a wonderful way to add fresh style to your home or to your shop. Deeply anti-glare reflector creates visual comfort. Thermally engineered heatsink is robust and offers cooler operation. High grade diffuser provides uniform light as well as greatly illuminates environment. Easy to install with two spring clips.



KT6758A 36W 2520LM
12° / 24° / 36°
cutout Ø115mm



KT6758B 36W 2520LM
12° / 24° / 36°
cutout Ø155mm



KT6758C 36W 2520LM
12° / 24° / 36°
cutout Ø155mm






HERMOSA


Recessed




KT6737 / 6W / 457LM
3000K / CRI>80 / 34°
cutout 67x67mm




KT6738 / 10W / 810LM
3000K / CRI>80 / 33°
cutout 118x67mm




KT6739 / 15W / 1203LM
3000K / CRI>80 / 38°
cutout 160x67mm



KT6740 / 25W / 2118LM
3000K / CRI>80 / 42°
cutout 255x67mm



KT6736 / 20W / 1585LM
3000K / CRI>80 / 33°
cutout 128X140mm



KT6750 / 30W / 2643LM
3000K / CRI>80 / 34°
cutout 170x143mm



KT6737



KT6738



XD2190



KT6736



KT6739




XD2191



KT6750



KT6740



XD2192

Surface Mounted



XD2190 / 6W / 502LM
3000K / CRI>80 / 48°




XD2191 / 10W / 898LM
3000K / CRI>80 / 38°




XD2192 / 15W / 1204LM
3000K / CRI>80 / 38°



XD2179 / 20W / 2169LM
3000K / CRI>80 / 43°




XD2178 / 15W / 1379LM
3000K / CRI>80 / 39°




XD2177 / 25W / 2164LM
3000K / CRI>80 / 43°


Track System



MHT8853 / 15W / 1282LM
3000K / CRI>80 / 39°



MHT8851 / 25W / 2112LM
3000K / CRI>80 / 42°



MHT8852 / 40W / 3955LM
3000K / CRI>80 / 39°




MHT8854 / 20W / 2172LM
3000K / CRI>80 / 44°



XD2179



MHT8853



MHT8854



XD2178



MHT8851



XD2177




MHT8852



PORTO

Based on the simple and exquisite interior decoration style. Refraction lamp series to provide a more planar solution for wall washing. Flat and more efficient polarized lighting effect is the original intention of the refractive series.



KT6756
10W 600LM
size Ø85x70mm
cutout Ø77mm



KT6757
20W 1200LM
size Ø107x85mm
cutout Ø93mm



KT6758
36W 2520LM
size Ø135x98mm
cutout Ø115mm



XD2205
10W 600LM
size Ø90x120mm



XD2206
20W 1200LM
size Ø113x146mm



XD2207
30W 2100LM
size Ø140x166mm



ROBOT

Our ROBOT family can meet every customer's requirements for a highly efficient commercial lighting solution. There are 4 sizes different bases which are easy to change spot head. This family also offers pendant and surface mounted for your choice.



SL384 / 4x8W / 4x550LM / 40°



SL382 / 2x8W / 2x550LM / 40°




SL383 / 3x8W / 3x550LM / 40°



XD2139 / 1x8W / 550LM / 40°



SL377 / 1x8W / 550LM / 40°



XD2144 / 4x8W / 4x550LM / 40°



XD2142 / 2x8W / 2x550LM / 40°




XD2043 / 3x8W / 3x550LM / 40°

FARGO



Magnetic track lamp series is easy to install and disassemble. For focus lighting demand can provide a flexible, safe and reliable solution. Diminutive, exquisite and convenience is the goal of this lamp design. The design of simplest, effective and concise can achieve focus lighting demand.



MHTA8830
25W 1495LM 3000K CRI>80



MHTA8841A
15W 705LM 3000K CRI>80



MHTA8837
15W



SMRITI

Classical is the forever popular. You may see this is a comment design, you have seen the similar in the market. But our Deeply anti-glare provide more comfortable lighting environment for you. With philips adator can make you have more chooses. More easier install, more conciser design, classical is simple.



MHT8858 40W
size Ø81.5x260x233mm



MHT8857 32W
size Ø81.5x220x283mm



MHT8856 20W
size Ø81.5x220x238mm



PHILIPS® ADATOR



























ASTREA

ASTREA family is the plus version based on SOPHIA. It is also slim, but with different lens, providing different beam angle for end-user choice.



LEDiL®



	<p>XD2169 Lens WWW 15W 1278LM 3000K CRI>80</p>		
	<p>XD2169 Lens S 15W 1292LM 3000K CRI>80</p>		
	<p>XD2169 Lens WW 15W 1365LM 3000K CRI>80</p>		
	<p>XD2169 Lens W 15W 1331LM 3000K CRI>80</p>		
	<p>XD2169 Lens WAS2 15W 1272LM 3000K CRI>80</p>		
	<p>XD2169 Lens WAS 15W 1297LM 3000K CRI>80</p>		
	<p>XD2169 Lens ZT45 15W 1260LM 3000K CRI>80</p>		
	<p>XD2169 Lens O 15W 1310LM 3000K CRI>80</p>		





SOPHIA

It is slim and mini with different color, such as painting white and black and plating chrome to meet your special need to decorate the place.



XD2165
10W 632LM 3000K CRI>80
beam angle 19°





ANTORCHA

The intelligent exterior design has perfect combination with all scenes as unique decoration. The accent light and low UGR makes your space clear and elegant.



XD2197
10W 700LM 3000K CRI>80
20° / 45°
size Ø76x150mm



XD2198
20W 1400LM 3000K CRI>80
20° / 45°
size Ø96x150mm



XD2200
30W 2100LM 3000K CRI>80
20° / 45°
size Ø116x150mm





ILUSION


Genius different size design is just like a fairy smoothly dancing in all kinds of occasion. The gentle and comfortable anti-glare relax and pleased all audience.







PETAL


You may have seen that the petals dancing in the sky. Can you imagine that the petals dancing on the floor? Causing by the special diffuser, the light spot comes to be different shapes of petal. Waking through the corridor, it seems that you're dancing with light petals.



XD2022-1
8W 812LM 79° 3000K CRI>80



XD2022-2
15W 1463LM 54° 3000K CRI>80



PLUTO


The geometric and simple design receives public high recognition. The application of multiple lighting solution can solve the all kinds of lighting demands.



WL624 IP54
10W 640LM 3000K CRI>80



WL625 IP54
12W 696LM 3000K CRI>80



WL622 IP54
3W 48LM 3000K CRI>80




WL623 IP54
3W 42LM 3000K CRI>80



CERTUS

Outdoor lighting has become a part of the lighting system. "Guidance" is the property of outdoor lighting system. The light guide series lamp design is based on this property. The upper and lower of lamp tube makes the light beam not only has the practical function in the dark night but also has the intense decorative. Compact geometric lighting gives out a high quality light beam to guiding the direction of the night.



WL581 IP65
2x6W / 2x420LM / 30°
size Ø65x95x90mm



WL582 IP65
2x8W / 2x560LM / 30°
size Ø91x125x92mm



WL583 IP65
2x15W / 2x1050LM / 40°
size Ø120x152x150mm



WL581B IP65
8W / 540LM / 30°
size Ø65x95x90mm



WL582B IP65
10W / 770LM / 30°
size Ø91x125x92mm



WL583B IP65
20W / 1800LM / 40°
size Ø120x151x92mm



WL581A IP65
4x6W / 4x420LM / 30°
size Ø148x95x90mm



WL582A IP65
4x8W / 4x560LM / 30°
size Ø203x126x92mm



WL583A IP65
4x15W / 4x1050LM / 40°
size Ø270x150x150mm