

# WALL LIGHT

## DIMENSIONS



	L X W X H
WL396	50x26.5x300mm
WL396A	50x26.5x600mm

## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

IP20

bridgelux.

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL396 600Lm 3000K	8W	10W	BRIDGELUX	AREEK	60	80	
WL396A 1300Lm 3000K	17W	20W	BRIDGELUX	AREEK	65	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Housing: Die cast aluminium Reflector glass: Polycarbonate
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

IP20

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL397A 540Lm 3000K	7W	9W	EPISTAR	AREEK	60	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

IP20

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL398A 600Lm 3000K	6W	8W	EPISTAR	AREEK	75	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Outdoor
<b>IP rate</b>	IP65
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

IP65

**CREE**

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL536 320Lm 3000K	6W	8W	CREE	AREEK	40	80	
WL536A 320Lm 3000K	6W	8W	CREE	AREEK	40	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP65
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V
	220-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

IP65

CREE

AREEK


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL537 180Lm 3000K	4.5W	6W	CREE	AREEK	30	80	
WL537A 180Lm 3000K	4.5W	6W	CREE	AREEK	30	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP65
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V
	220-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP65

**CREE**

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL538 210Lm 3000K	5.5W	7W	CREE	AREEK	30	80	
WL538A 210Lm 3000K	5.5W	7W	CREE	AREEK	30	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.


IP20

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL541 210Lm 3000K	5.5W	7W	BRIDGELUX	AREEK	30	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V
	220-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP20

bridgelux

AREEK

www.ketailighting.com

## ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL542 280Lm 3000K	5.5W	7W	BRIDGELUX	AREEK	40	80	



# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V
	220-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP20

bridgelux.

**AREEK**


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL543 245Lm 3000K	5.5W	7W	BRIDGELUX	AREEK	35	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP20

bridgelux

AREEK


www.ketailighting.com

## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL546 245Lm 3000K	5.5W	7W	BRIDGELUX	AREEK	35	80	

# WALL LIGHT

## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check LED LINEAR series please see page 045.

IP20


**AREEK**



## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL572 700Lm 3000K	17W	20W	EPISTAR	AREEK	35	80	


## OTHER ITEMS FOR LED LINEAR FAMILY



# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	15° / 24° / 36°
Fixture material	Die cast aluminium
Environment	Indoor
IP rate	IP20
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	II
Input	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check MULTIS SQUARE series please see page 029.

IP20

CITIZEN

AREEK

## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL610 1020Lm 3000K	10W	12W	CITIZEN	AREEK	85	80	19


## OTHER ITEMS FOR MULTIS SQUARE FAMILY



# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	40°
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check MULTIS ROUND series please see page 031.

IP20

CITIZEN

www.ketaitighting.com


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL612 1020Lm 3000K	10W	12W	CITIZEN	GLOBAL	85	80	


## OTHER ITEMS FOR MULTIS ROUND FAMILY



# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	40°
Fixture material	Die cast aluminium
Environment	Indoor
IP rate	IP20
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	II
Input	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check IBIS series please see page 033.

IP20

bridgelux.

AREEK

www.ketailighting.com


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL628 600Lm 3000K	6.2W	8W	BRIDGELUX	AREEK	75	80	


## OTHER ITEMS FOR IBIS FAMILY

 XD2151 C30	 XD2152 C31	 KT6915 A65	 KT6967 A45	 KT6967-2 A46	 WL629 E15
---	---	---	---	--	--

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	40°
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check IBIS series please see page 033.

IP20

bridgelux  
**AREEK**

## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL629 2x600Lm 3000K	2x6.2W	2x8W	BRIDGELUX	AREEK	75	80	


## OTHER ITEMS FOR IBIS FAMILY

 XD2151  C30	 XD2152  C31	 KT6915  A65	 KT6967  A45	 KT6967-2  A46	 WL628  E14
---	---	---	---	--	--

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP54
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP54

**AREEK**

## ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL611 600Lm 3000K		10W	SMD2835	AREEK	60	80	



# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	15° / 24° / 36°
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	100-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check WALL LIGHT series please see page 059.

IP20

CITIZEN

AREEK


## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL613 900Lm 3000K		10W	CITIZEN	AREEK	90	80	

# WALL LIGHT



## DIMENSIONS



## SPECIFICATIONS

<b>Colour (s)</b>	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
<b>Beam angle</b>	15° / 24° / 36°
<b>Fixture material</b>	Die cast aluminium
<b>Environment</b>	Indoor
<b>IP rate</b>	IP20
<b>Operating temperature (Ta)</b>	-20°C / +45°C
<b>Colour consistency (SDCM)</b>	MacAdam step 3
<b>Warranty</b>	3 years / 5 years
<b>Safety Class</b>	II
<b>Input</b>	220-240V

This luminaire contains built-in LED lamps.  
The lamps cannot be changed in the luminaire.  
Check WALL LIGHT series please see page 059.

**IP20**

www.ketailighting.com

## ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL630 800Lm 3000K		10W	KOSDAK		80	80	