


OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	100°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check LACUNA series please see page 061.

IP65

PHILIPS

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL558 280Lm 3000K		8W	PHILIPS		35	80	


OTHER ITEMS FOR LACUNA FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	100°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check LACUNA series please see page 061.

IP65

PHILIPS

www.ketailighting.com

ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL569 420Lm 3000K		12W	PHILIPS		35	80	

OTHER ITEMS FOR LACUNA FAMILY



OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	100°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check LACUNA series please see page 061.

IP65

PHILIPS

www.ketalighting.com

ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL576 560Lm 3000K		16W	PHILIPS		35	80	

OTHER ITEMS FOR LACUNA FAMILY



OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	100°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check LACUNA series please see page 061.

IP65

PHILIPS

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL577 750Lm 3000K	18W	30W	PHILIPS		25	80	


OTHER ITEMS FOR LACUNA FAMILY



OUTDOOR LIGHT (UNDERGROUND LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	Lens 4° Reflector 25° / 38° / 60°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	
	220-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check EXTREM NARROW BEAM ANGLE series please see page 027.

IP65



www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
KT568 480Lm 3000K	6.2W	8W	CREE		60	80	
KT568A 840Lm 3000K	9.3W	12W	CREE		70	80	


OTHER ITEMS FOR EXTREM NARROW BEAM ANGLE FAMILY



OUTDOOR LIGHT (UNDERGROUND LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	Lens 4°
	Reflector 25° / 38° / 60°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 5
Warranty	3 years / 5 years
Safety Class	I
Input	
	220-240V

This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

Check EXTREM NARROW BEAM ANGLE series please see page 027.



www.ketailighting.com

ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
FL937 480Lm 3000K	6.2W	8W	CREE		60	80	
FL937A 840Lm 3000K	9.3W	12W	CREE		70	80	

OTHER ITEMS FOR EXTREM NARROW BEAM ANGLE FAMILY



OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL581 LV 2x420Lm 3000K		2x6W	ETI		70	80	


OTHER ITEMS FOR CERTUS FAMILY

							
WL582 F08	WL583 F09	WL581B F10	WL582B F11	WL583B F12	WL581A F13	WL582A F14	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL582 LV 2x560Lm 3000K		2x8W	ETI		70	80	


OTHER ITEMS FOR CERTUS FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	40°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL583 2x1050Lm 3000K		2x15W	ETI		70	80	

OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL581B F10	WL582B F11	WL583B F12	WL581A F13	WL582A F14	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketailighting.com

ITEM SPECIFICATIONS


Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL581B 540Lm 3000K		8W	ETI		68	80	

OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL583 F09	WL582B F11	WL583B F12	WL581A F13	WL582A F14	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)

DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL582B 770Lm 3000K		10W	ETI		77	80	


OTHER ITEMS FORCERTUS FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006 Matt black RAL 9005
Beam angle	40°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketailighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL583B 1800Lm 3000K		20W	ETI		90	80	


OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL583 F09	WL581B F10	WL582B F11	WL581A F13	WL582A F14	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL581A 4x420Lm 3000K		4x6W	ETI		70	80	


OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL583 F09	WL581B F10	WL582B F11	WL583B F12	WL582A F14	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketailighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL582A 4x560Lm 3000K		4x8W	ETI		70	80	


OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL583 F09	WL581B F10	WL582B F11	WL583B F12	WL581A F13	WL583A F15

OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	30°
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check CERTUS series please see page 063.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL583A 4x420Lm 3000K		4x6W	ETI		70	80	


OTHER ITEMS FOR CERTUS FAMILY

							
WL581 F07	WL582 F08	WL583 F09	WL581B F10	WL582B F11	WL583B F12	WL581A F13	WL582A F14

OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check PLUTO series please see page 062.

IP65

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL622 48Lm 3000K	3W	3W	2835	Lijo	16	80	18


OTHER ITEMS FOR PLUTO FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check PLUTO series please see page 062.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL623 42Lm 3000K	3W	3W	2835	Lijo	14	80	18


OTHER ITEMS FOR PLUTO FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check PLUTO series please see page 062.




ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL624 640Lm 3000K	10W	10W	2835	Lijo	64	80	32


OTHER ITEMS FOR PLUTO FAMILY



OUTDOOR LIGHT (WALL LIGHT)



DIMENSIONS



SPECIFICATIONS

Colour (s)	Matt white RAL 9016
	Matt grey RAL 9006
	Matt black RAL 9005
Beam angle	
Fixture material	Die cast aluminium
Environment	Outdoor
IP rate	IP65
Operating temperature (Ta)	-20°C / +45°C
Colour consistency (SDCM)	MacAdam step 3
Warranty	3 years / 5 years
Safety Class	I
Input	220-240V

This luminaire contains built-in LED lamps.
The lamps cannot be changed in the luminaire.
Check PLUTO series please see page 062.

IP65

www.ketalighting.com

ITEM SPECIFICATIONS

Description	LED Power	Total Power	LEDs	Driver	Lm/W	CRI (typ.)	UGR
WL625 696Lm 3000K	11W	12W	2835	Lijo	58	80	32

OTHER ITEMS FOR PLUTO FAMILY



