

KETAI INDUSTRIES LIGHTING CO., LTD

Ketai Building, 4 Mashe New Street Lishui, Nanhai, Post code 528244, Foshan Guangdong, China

Phone: +86 757 8560 7707 Fax: +86 757 8560 3675

e-mail: sales@ketailighting.com



www.ketailighting.com



Catalog download



JOIN US

Let Inspiration



WE LOVE TO WORK & WE LOVE WHERE WE WORK

Ketai Industries Lighting Co., Ltd. was founded in 1999 in Foshan, Guangdong of China, focusing on researching, development and production of lighting including led downlights, led track lights, led wall lights, led ceiling lights, led pendant lights and led outdoor lights.

Our factory covers an area of 40000 square meters, including the die-casting workshop, stamping workshop, powder coating workshop, and assembly workshop.

We have 500 employees, our greatest advantage is to design, develop and produce the special, creative, high-tech LED lights. No matter what kinds of LED lights you want, just tell us your demand, the best solution would be provided by our professional engineers.

Our well experienced 30 engineers in the R&D dept. customize available solutions for various lighting projects and, free design drawing can be provided according to customer's demand.

We are ISO 9001 certified manufacturer. Most items of our products are approved by CE, RoHS,UL, SAA Certificates.



QUALIFIED LIGHTS Made in KETAI Lighting

Well-equipped apparatus and instruments, and strict quality control throughout all stages of production;

Owning R&D team with 30 experienced qualified engineers;

5-10 new items are currently distributed to market every month;

One stop of complete solution for lighting projects;

Unique imagination and designing, advanced developing technologies;

Strict quality parameters conformed with standards.



QUALIFIED SUPPLY CHAIN



PRODUCTION PROCESS

Thanks to our perfect PMC system, production system and strict quality control system with perfect inspection process.

All new products undergoes stringent validation and age testing prior to production.

All products undergoes "burn in" test prior to packing.

All orders are QC inspected by our staff prior to shipping.

All products in mentioned have independent certified to meet customer's need.

Global Excellence Made in KETAI Lighting

We have 500 employees, our greatest advantage is to design, develop and produce the special, creative, high-tech LED lights. No matter what kinds of LED lights you want, just tell us your demand. The best solution would be provided by our professional engineers, our well experienced 30 engineers in the R&D dept. customize available solutions for various lighting projects, free design drawing can be provided according to customer's demand.

We are ISO 9001 certified manufacturer. Most items of our products are approved by CE, RoHS, SAA etc. certificates.

We are keeping on running with the vision focusing on service, education, brand and technology support. With 20 years of practice and experience, Ketai lighting is getting a good reputation in commercial lighting industry in the world and has an extensive sales network.





Lighting Solution Made in KETAI Lighting

Thanks for our unique and creative design, our product is introduced in mainly application, from large residential or public buildings to commercial, institutional or public spaces.








OFFICE



RETAIL & SHOPPING MALL



GALLERY




RESIDENTIAL

Lighting Completeness Made in KETAI Lighting


We are ISO9001 certified manufacturer and most of our products are approved by CE, CB, UL, SAA, GS, TUV and CCC certifications. The quality of our products is assured by our implementing QS ERP system and well-equipped testing lab. With more than 20 years experience in lighting fixtures exporting field, our market has covered Europe South America, Mid-East and Russia.

The R&D Department has 30 engineers and they independently research and develop new products each year.

Our engineers have the comprehensive ability of structure development, optical design, thermal design to meet customers' various demands.



Ketai Lighting is a commercial lighting manufacturer specialized in a diverse range of interior light with exterior light. The product range covers LED recessed downlight, LED track light, LED ceiling light, LED wall light, LED magnetic light system and LED outdoor light.



Value Added Service Made in KETAI Lighting

The greatest advantage of ours is to design, develop and produce the special, creative, high-tech LED lights. No matter what kinds of LED lights you like, just tell us your demand, the best solution would be provided by our professional engineers, 30 well experienced engineers in the R&D dept. And also we customize available tailored solutions for various lighting projects.

Using what we have learned and accumulated experience, we are constantly moving forward and creating new concepts. This proprietary technology allows us to tailor our customers.

Tailor-made is an alternative solution, which means

- 1) customizing the size of the luminaire according to the size of the area used;
- 2) maintaining the color of the luminaire in harmony with the overall color of the area used and the surrounding environment;
- 3) design style of the luminaire to meet the needs of the decoration style of the use of the regional space;
- 4) the performance of the luminaire meeting the needs of specific application scenarios, such as waterproof, moisture-proof and corrosion-resistant.



Photograph in Guangdong Daguan Museum

Index



1 LENS



KT7060 / KT7061 / KT7062 P3



4 LESS PLUS




KT7070 / KT7071 / KT7072 KT7073 / KT7074 / KT7075 P7





KT7063 / **KT7064** P11



KT7063B / **KT7064B** P13



14 NOVEL



WL635 P17



WL636 P17



MHT8888 / **MHT8889** P18



WL633 / **WL640** P19



WL634 P20

LENS



LENS



KT7061 15W KT7060 20W KT7062 34W

- Lower UGR <16</p>
- High lumen output, high efficient lens.
- LENS optics exchangeable: oval,uniform and high intensity.








LENS FAMILY FIXED DOWNLIGHT

TECH. DRAWING



LENS FAMILY


LED		220-240 V	IP20	CITIZEN	OSRAM
-----	--	-----------	------	---------	-------

	W	LUM	ССТ	BEAM	CRI	DIA	н	ситоит
KT7060	20	1800	3000K	33°	80	Ф110mm	81mm	Ф95тт
KT7061	15	1300	3000K	33°	80	Ф95mm	71mm	Ф80mm
KT7062	30	2480	3000K	24°	80	Ф135mm	95mm	Φ120mm

OPTIONS

Color	O RAL 901	6 O RAL 900	6 O RAL 900	15				
Beam Angle	∞ ○ 17°	○ 23°	○ 33°	○ 43°				
Beam Angle	15° ○ 15°	○21°	○ 33°	○ 37°	○ 43°	○ 55°	○ 59°	
Beam Angle	2 ○ 16°	○ 24°	○ 31°	○ 36°				
CCT	○ 2700K	○3000K	○ 4000K					
CRI	○80	○90						
SOURCE OPTIO	N							/
DRIVER OPTION								1

REFERENCE DRAWING



LESS PLUS



LESS PLUS




- 5 years warranty.
- Good quality of power coating process.
- Material is conducive to heat dissipation of products, which ensures the life.






LESS PLUS



- UL approval
- Deep anti-glare
- 6 sizes:3W, 5W, 8W, 12W, 18W and 30W to satisfy different lighting scenes
- Different beam angle 15° / 24° / 38° / 55° for option
- Step-type front ring color gold and white and black for selection






KT7070 3W KT7071 5W KT7072 8W



LESS PLUS FAMILY FIXED DOWNLIGHT

TECH. DRAWING



LESS PLUS FAMILY


LED	220-240 V	IP20	Bridgelux	KEGU	(Î

	W	LUM	ССТ	BEAM	CRI	DIA	н	ситоит
KT7070	3	241	3000K	45°	80	Ф45mm	35mm	Ф35тт
KT7071	5	285	3000K	24°	80	Ф55mm	55mm	Φ45mm
KT7072	8	496	3000K	20°	80	Ф65mm	55mm	Φ55mm
KT7073	12	862	3000K	25°	80	Φ75mm	65mm	Φ65mm
KT7074	20	1591	3000K	24°	80	Φ105mm	86mm	Φ95mm
KT7075	25	2466	3000K	24°	80	Φ115mm	93mm	Φ105mm

OPTIONS

Color	O RAL 9016	○ RAL 9006	O RAL 9005	
Beam Angle K17072	ı ○ 20°	○ 40°	○ 60°	
Beam Angle KT7073	ı ○ 15°	○ 25°	○ 38°	\bigcirc 60 $^{\circ}$
Beam Angle K17074	□ ○ 15°	○ 24°	○ 38°	
Beam Angle K17075	□ ○ 15°	○ 24°	○ 38°	\bigcirc 55 $^{\circ}$
CCT	○2700K	○3000K	○ 4000K	
CRI	○80	○90		


REFERENCE DRAWING





Match different inner rings

- Deep anti-glare UGR<16</p>
- Optics reflector for option: wall washer, adjustable and dawnlight
- 2 size: 15W and 20W












CANEO FAMILY FIXED DOWNLIGHT

TECH. DRAWING



CANEO FAMILY

LED 220-240 V	IP20	KT7063 CITIZEN	KT7064 Bridgelux	OSRAM
---------------	------	-------------------	----------------------------	-------

	W	LUM	ССТ	BEAM	CRI	DIA	Н	ситоит
KT7063	20	1180	3000K	23°	80	Ф110mm	121mm	Ф100mm
KT7064	15	610	3000K	25°	80	Ф90mm	102mm	Ф80тт

OPTIONS

 Color
 ○ RAL 9016 ○ RAL 9006 ○ RAL 9005

 Beam Angle 1800 ○ 18°
 ○ 23°
 ○ 36°

 Beam Angle 1800 ○ 18°
 ○ 25°
 ○ 35°


 CCT
 ○ 2700K
 ○ 3000K
 ○ 4000K

 CRI
 ○ 80
 ○ 90

 SOURCE OPTION

REFERENCE DRAWING


DRIVER OPTION





CANEO FAMILY TILTABLE DOWNLIGHT

TECH. DRAWING



CANEO FAMILY


CITIZEN Bridgelux OSRA	LED		220-240 V	IP20	KT7063A CITIZEN	KT7064A Bridgelux	OSRAM
------------------------	-----	--	-----------	------	--------------------	-----------------------------	-------

	W	LUM	ССТ	BEAM	CRI	DIA	Н	CUTOUT
KT7063A	20	1740	3000K	23°	80	Ф110mm	121mm	Ф100mm
KT7064A	15	970	3000K	25°	80	Ф90mm	102mm	Ф80тт

OPTIONS

SOURCE OPTION /
DRIVER OPTION /


REFERENCE DRAWING





CANEO FAMILY FIXED DOWNLIGHT

TECH. DRAWING



CANEO FAMILY

LED		220-240 V	IP20	KT7063B CITIZEN	KT7064B Bridgelux	OSARM
-----	--	-----------	------	--------------------	-----------------------------	-------


	W	LUM	ССТ	BEAM	CRI	DIA	Н	CUTOUT
KT7063B	20	1940	3000K	23°	80	Ф110mm	121mm	Ф100mm
KT7064B	15	1020	3000K	25°	80	Ф90mm	102mm	Φ80mm

OPTIONS

Color ○ RAL 9016 ○ RAL 9006 ○ RAL 9005 Beam Angle KT7063B 0 18° ○ 23° ○ 36° Beam Angle KT7064B 0 18° ○ 35° ○ 25° CCT ○2700K ○3000K O 4000K CRI ○80 O 90 SOURCE OPTION

REFERENCE DRAWING


DRIVER OPTION



NOVEL



NOVEL



- 5 years warranty.
- Good quality of power coating process.
- Material is conducive to heat dissipation of products, which ensures the life.

NOVEL













- Book-shaped housing and applied in wall light and track light
- Wall light IP65 rating and track light IP20
- Beam angle 12° / 34° / 48° for selection

OUTDOOR LIGHT



\cup		

	W	LUM	ССТ	BEAM	CRI
WL635	16	720	3000K	34°	80


NOVELWATERPROOF UP & DOWN WALL LIGHT

OPTIONS

Color	O RAL 9016	6 O RAL 9006	○ RAL 9005
Beam Angle	○ 12°	○ 34°	○ 48°
CCT	○2700K	○3000K	○ 4000K
CRI	○80	○90	

SOURCE OPTION	1
DRIVER OPTION	/

TECH. DRAWING size in mm







	W	LUM	ССТ	BEAM	CRI
WL636	9	380	3000K	34°	80


NOVEL WATERPROOF UP & DOWN WALL LIGHT

OPTIONS

	Color	O RAL 9016	O RAL 9006	O RAL 9005	
	Beam Angle	○12°	○ 34°	○ 48°	
	CCT	○2700K	○3000K	○4000K	
	CRI	○80	○90		
SOURCE OPTION					/

SOURCE OPTION	/
DRIVER OPTION	/

TECH. DRAWING size in mm








NOVEL TILTABLE & ROTATABLE TRACK LIGHT

OPTIONS

Color	O RAL 9016	6 O RAL 9006	6 ○ RAL 9005
Beam Angle	○ 12°	○ 34°	○ 48°
CCT	○2700K	○3000K	○ 4000K
CRI	○80	○90	

SOURCE OPTION	/
DRIVER OPTION	/

TECH. DRAWING size in mm



W	LUM	ССТ	BEAM	CRI

3000K

300

220-240 V IP20 CREE

LED

MHT8888 9

KEGU

34°

80



LED 220-240 V IP20 CREE KEGU

	w	LUM	ССТ	BEAM	CRI
MHT8889	15	680	3000K	34°	80


NOVEL TILTABLE & ROTATABLE TRACK LIGHT

OPTIONS

Color	O RAL 901	6 O RAL 900	6 O RAL 9005	
Beam Angle	○ 12°	○ 34°	○ 48°	
CCT	○2700K	○3000K	○ 4000K	
CRI	○80	○90		
SOURCE OPTION				

DRIVER OPTION /

TECH. DRAWING size in mm



OUTDOOR LIGHT



	w	LUM	ССТ	BEAM	CRI
WL633	16	625	3000K	34°	80

NOVELWATERPROOF UP & DOWN WALL LIGHT

OPTIONS Color ○ RAL 9016 ○ RAL 9006 ○ RAL 9005 Beam Angle O 12° ○ 34° ○ 48° CCT ○2700K ○3000K O 4000K CRI 080 O 90 SOURCE OPTION DRIVER OPTION

TECH. DRAWING size in mm





	W	LUM	ССТ	BEAM	CRI
WL640	15	670	3000K	34°	80

220-240 V

KEGU

CREE

NOVEL WATERPROOF UP & DOWN WALL LIGHT


OPTIONS				
Color	○ RAL 901	6 O RAL 900	6 O RAL 9005	
Beam Angle	○ 12°	○ 34°	○ 48°	
CCT	○2700K	○3000K	○ 4000K	
CRI	○80	○90		
SOURCE OPTION				
DRIVER OPTION	1			/





LED

OUTDOOR LIGHT




NOVELWATERPROOF UP & DOWN WALL LIGHT

OPTIONS

Color	O RAL 901	6 O RAL 900	6 O RAL 900)5
Beam Angle	○ 12°	○ 20°	○ 34°	○ 48°
CCT	○2700K	○3000K	○ 4000K	
CRI	○80	○90		
SOURCE OPTION				

SOURCE OPTION	/
DRIVER OPTION	/

TECH. DRAWING size in mm



W	LUM	CCT	BEAM	CRI

3000K

KEGU

 34°

80

220-240 V IP65 CREE

26 1340

LED

WL634

