

OUTDOOR
LIGHTING

OUTDOOR
LIGHTING

IP65 DOWNLIGHT
WALL LIGHT
GARDEN LIGHT


KETA

OUTDOOR LIGHT

LED outdoor lighting products including the garden light, ground light and wall light are the perfect solution for illuminating your garden, terrace and path and providing a tranquil backdrop to an evening spent relaxing outdoors.

The right choice of outdoor lighting can be adopted not only to bring a comfortable ambience to our garden, but also use selected wall light with design for safe entrance area.

The right choice outdoor lighting can not only play a role as a guarder in the dark, but also ensure product safe performance.



OUTDOOR LIGHT





OUTDOOR LIGHT

OUTDOOR LIGHT



IP65 DOWNLIGHT




KT7095 / KT7096
P7




KT568 / KT568A P51 FL937 / FL937A P53 FL948 P55



FL949A / FL949B / FL949C P57 FL951 P59 FL952 P59




FL961 P61 FL963 P63




GARDEN LIGHT




WL558 P9 WL569 P11 WL576 P13 WL577 P13 WL581 / WL582 / WL583 P15 WL581A / WL582A / WL583A P17 WL581B / WL582B / WL581C P19




WL601 / WL602 / WL603 P21 WL601A / WL602A / WL603A P23 WL601B / WL602B / WL603B P25 WL601C / WL602C / WL603C P27 WL622 / WL668 P29 WL623 / WL667 P31



WL633 P33 WL634 P33 WL640 P35 WL649 P37



WL650 P37 WL651 P39 WL652 P39 WL653 P41



WL654 P43 WL655 P45 WL656 P47 WL670 P49



WALL LIGHT

OUTDOOR LIGHT



OUTDOOR LIGHT



LED wall light

Directed light

Protection class IP 65
Cast aluminum, aluminum and safety glass
3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

This luminaire is born to be simple and elegant. With the design concept of "no redundancy", it is concise and solid at the same time. It could be used in different ambience and fit to the environment very well. It's like a strong sportsman with refined suits on. If you don't know what kind of recessed ceiling light you need, this is exactly the right choice for you.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED 220-240 V IP65 LUFID CITIZEN

	W	LUM	CCT	BEAM	CRI	Dia	H
KT7095	12	569	3000K	/	80	Φ92	112
KT7096	16	860	3000K	/	80	Φ123	104





LED wall light

Light emission on one side

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

This is a very special luminaire. The lighting part is surrounded and "protected" by a "handle". With the light shining downwards, it could be used in different ambience. Unique design, fashionable and reliable quality is the label of it. It really is a combination of "appearance and strength".

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED  AC 220-240 V IP65 SMD

	W	LUM	CCT	BEAM	CRI	L	W	H
WL558	8	223	3000K	/	80	231.5	113	35



LED wall light

Light emission on one side

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

Wall luminaires with light directed downwards, suitable for different installation heights. These are robust luminaires with a small overhand. Installed at a low height, they are also suitable for illuminating danger points in public and private areas such as steps. Luminaires for indoors and outdoors which make important areas visible in the dark or at low levels of illumination.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED
 AC 220-240 V
 IP65
 SMD

	W	LUM	CCT	BEAM	CRI	L	W	H
WL569	12	569	3000K	/	80	122	55	112
WL576	16	860	3000K	/	80	208	53	104





LED wall light

Symmetrical light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006

These luminaires impressed us with the image of reliable, stately and good quality. With the light casting downwards, they help to well illuminate the place under them. Though the appearance is tough and strong, the illumination is bright and gentle. These lights are with premium quality and high light effect. If you are looking for high efficient and illumination wall lights, they are your choices.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⚡ AC 220-240 V IP65 SMD

	W	LUM	CCT	BEAM	CRI	L	W	H
WL577	20	1000	3000K	/	80	206.5	48	103.5



LED wall light

Symmetrical light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass

3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K


Finish color

RAL 9005
 RAL 9016
 RAL 9006

These lighting fixtures were developed under the concept of being clean and simple. Their appearance includes straight lines and cylinder, which makes the outlook brief but not superficial. With the alternative of one head and two heads, the products of this series are abundant. If you are looking for wall lights with simple and elegant design and vintage style, these are your choices.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED  AC 220-240 V IP65 ZOM

	W	LUM	CCT	BEAM	CRI	Dia	W	H
WL581	2x6	2x420	3000K	30°	80	∅65	56	90
WL582	2x8	2x560	3000K	30°	80	∅91	91	125
WL583	2x15	2x1050	3000K	30°	80	∅120	150	152



LED wall light

Symmetrical light distribution


Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color
 RAL 9005
 RAL 9016
 RAL 9006

These lighting fixtures were developed under the concept of being clean and simple. Their appearance includes straight lines and cylinder, which makes the outlook brief but not superficial. With the alternative of one head and two heads, the products of this series are abundant. If you are looking for wall lights with simple and elegant design and vintage style, these are your choices.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED AC 220-240 V IP65 ZOM

	W	LUM	CCT	BEAM	CRI	L	T	H
WL581A	4x6	4x420	3000K	30°	80	148	95	90
WL582A	4x8	4x560	3000K	30°	80	203	126	92
WL583A	4x15	4x1050	3000K	30°	80	270	150	150



LED wall light

Light emission on one side


Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color
 RAL 9005
 RAL 9016
 RAL 9006

These lighting fixtures were developed under the concept of being clean and simple. Their appearance includes straight lines and cylinder, which makes the outlook brief but not superficial. With the alternative of one head and two heads, the products of this series are abundant. If you are looking for wall lights with simple and elegant design and vintage style, these are your choices.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED AC 220-240 V IP65 ZOM

	W	LUM	CCT	BEAM	CRI	Dia	W	H
WL581B	8	540	3000K	30°	80	Φ65	56	90
WL582B	10	770	3000K	30°	80	Φ91	91	125
WL583B	20	1800	3000K	30°	80	Φ120	150	151



LED garden light

Shielded light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



	W	LUM	CCT	BEAM	CRI	Dia	T	H
WL601	10	798	3000K	/	80	Ø200	3	53
WL602	15	1100	3000K	/	80	Ø300	3	68
WL603	20	1200	3000K	/	80	Ø400	3	88



LED garden light

Shielded light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED		220-240 V	IP65	EDISON	KEGU						
		W	LUM	CCT	BEAM	CRI	L	H	T	H1	
		WL601A	10	798	3000K	/	80	250	53	3	250
		WL602A	15	1100	3000K	/	80	300	68	3	300
		WL603A	20	1200	3000K	/	80	350	88	3	350



LED wall light

Shielded light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee



LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 ◻ RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⚡ 220-240 V IP65 EDISON KEGU

	W	LUM	CCT	BEAM	CRI	L	H	T	H1
WL601B	10	798	3000K	/	80	220	53	3	220
WL602B	15	1100	3000K	/	80	280	68	3	280
WL603B	20	1200	3000K	/	80	380	88	3	380



LED wall light

Shielded light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass

3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⚡ 220-240 V IP65 EDISON KEGU

	W	LUM	CCT	BEAM	CRI	L	H	T	H1
WL601C	10	798	3000K	/	80	300	53	3	300
WL602C	15	1100	3000K	/	80	350	68	3	350
WL603C	20	1200	3000K	/	80	400	88	3	400



LED wall light

Light emission on one side

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K


Finish color

RAL 9005
 RAL 9016
 RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED
 
 220-240 V
 IP65
 TELEYA
 KEGU

	W	LUM	CCT	BEAM	CRI	Dia	T
WL622	4	80	3000K	/	80	Φ148	35
WL668	8	320	3000K	/	80	Φ219	30



LED wall light

Light emission on one side

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006

The series of wall lights, Eclipse, with different shapes and designs, create the artistic concept of dream land and the Milky Way, etc. The combination of geometric figures makes these lighting fixture simple but profound. It's like the Chinese saying "There's an end to the words, but not to their message." You could apply these beautifully designed lights to different environment to improve the artistic and variegated atmosphere.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⚡ 220-240 V IP65 TELEVA KEGU

	W	LUM	CCT	BEAM	CRI	L	W	H
WL623	4	80	3000K	/	80	148	35	148
WL667	8	320	3000K	/	80	219	30	219



LED wall light

Symmetrical light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass
3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006


Novel, is a book with endless stories and imagination in it. These luminaires, with light casting upwards and downwards, could help to create warm and harmonious atmosphere. Silently Novel merges into the wall, profoundly it becomes a part of the environment. You don't need too much space to install this lighting fixture, but it carries abundant energy in the concentrated design.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⊕ 220-240 V IP65 CREE KEGU

	W	LUM	CCT	BEAM	CRI	L	W	H	T
WL633	16	625	3000K	120°	80	107	55	161	38
WL634	26	1340	3000K	120°	80	190	55	161	38





LED wall light

Symmetrical light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K


Finish color

RAL 9005
 RAL 9016
 RAL 9006


Novel, is a book with endless stories and imagination in it. These luminaires, with light casting upwards and downwards, could help to create warm and harmonious atmosphere. Silently Novel merges into the wall, profoundly it becomes a part of the environment. You don't need too much space to install this lighting fixture, but it carries abundant energy in the concentrated design.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED  220-240 V IP65 CREE KEGU

	W	LUM	CCT	BEAM	CRI	L	W	H	T
WL640	15	670	3000K	120°	80	107	55	250	38



LED wall light

Symmetrical light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006

Easily you could find the connection between these wall lights and the garden light series of EDIFIER. These designs are so compact and well finished, designers want them to be used elsewhere. The soft rays with the curve edge is rather charming, which makes them perfect wall lights too. Besides, for both designs of this series, you have three colors to choose from: grey, white and black.


The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



WL650



WL649



LED ⚡ AC 220-240 V IP65 Bridgelux KEGU

	W	LUM	CCT	BEAM	CRI	L	W	H
WL649	7	599	3000K	/	80	157	140	46
WL650	7	583	3000K	/	80	157	140	46



LED wall light

Symmetrical light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass

3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006


VAGTER is a family of up and down wall light with round and square shape. It creates warm lighting effects on terraces and balconies, and also keeps watching for years like the guarder to ensure the personal safety.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.


WL651



WL652



WL651 Round wall light



WL652 Square wall light

LED

 AC 220-240 V
 IP65
 Bridgelux
 OSRAM

	W	LUM	CCT	BEAM	CRI	L	W	H
WL651	2x10	2x1032	3000K	/	80	57	69	200
WL652	2x10	2x1032	3000K	/	80	62	56.5	200



Retrofit wall light

Bulb not included

Protection class IP 65
Cast aluminum, aluminum and safety glass
3 years' availability guarantee

Socket: GU10, MR16

Finish color

RAL 9005 RAL 9016 RAL 9006

VAGTER is a family of up and down wall light with round and square shape. It creates warm lighting effects on terraces and balconies, and also keeps watching for years like the guarder to ensure the personal safety.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



WL653



Black

Grey

White





Retrofit wall light

Bulb not included

Protection class IP 65
Cast aluminum, aluminum and safety glass
3 years' availability guarantee

Socket: GU10, MR16

Finish color

RAL 9005 RAL 9016 RAL 9006

VAGTER is a family of up and down wall light with round and square shape. It creates warm lighting effects on terraces and balconies, and also keeps watching for years like the guarder to ensure the personal safety.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.




WL654



Black

Grey

White





Retrofit wall light

Bulb not included

Protection class IP 65
Cast aluminum, aluminum and safety glass
3 years' availability guarantee

Socket: GU10, MR16

Finish color

RAL 9005 RAL 9016 RAL 9006

VAGTER is a family of up and down wall light with round and square shape. It creates warm lighting effects on terraces and balconies, and also keeps watching for years like the guarder to ensure the personal safety.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



WL655



Black

Grey

White





Retrofit wall light

Bulb not included

Protection class IP 65
Cast aluminum, aluminum and safety glass
3 years' availability guarantee

Socket: GU10, MR16

Finish color

RAL 9005 RAL 9016 RAL 9006

VAGTER is a family of up and down wall light with round and square shape. It creates warm lighting effects on terraces and balconies, and also keeps watching for years like the guarder to ensure the personal safety.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.




WL656



Black

Grey

White





LED wall light

Shielded light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

Just like playing the game of I-go, it is illuminating local corners wherever we need. With soft and even back light, it brings us to a comfortable environment in dark night whether indoor or outdoor.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED 220-240 V IP65 SMD KEGU

	W	LUM	CCT	BEAM	CRI	Dia	H
WL670	12	310	3000K	/	80	Ø210	80



LED ground light

Directed light

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

■ Stainless steel

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.




This lighting fixture is designed to be tough and compact at the same time. The supreme quality and tenacious character helps it suit to all kinds of ambience. When you choose this luminaire, you are choosing products that you don't need to worry about. It plays its role and does its work night after night. It's so stable and reliable, you don't even think of it because it won't bring you any trouble.



KT568 LENS version



KT568A Reflector version



LED ⚡ 100-240 V IP65 CREE AREEK

	W	LUM	CCT	BEAM	CRI	Dia	H
KT568	8	480	3000K	4°	80	Ø94	151
KT568A	12	607	3000K	25°	80	Ø94	151



LED garden light

Directed light

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700 K, 3000 K, 4000K

Finish color
 RAL 9005 RAL 9016 RAL 9006

This luminaire has the grace of swan. When installed in the garden, it improves the atmosphere there by its refined outlook. It becomes a natural part of the garden in the day time and decorates the garden by charming light when darkness falls. It makes a great difference by its sheer existence.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.




FL937 LENS version



FL937A Reflector version



LED  100-240 V IP65 CREE AREEK

	W	LUM	CCT	BEAM	CRI	Dia	L1	L2
FL937	8	480	3000K	4°	80	Ø60	144	343
FL937A	12	607	3000K	25°	80	Ø60	144	343





LED garden light with the spike

Shielded light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color


RAL 9005 RAL 9016 RAL 9006

This luminaire has the beauty and elegance of sunflowers. When you installed it in your garden, it becomes a natural part there. It is born to be a perfect fitting of the outdoor environment. The first sight you catch it, you are impressed; after being accompanied by it for a few years, it becomes a close friend of yours. As if it is smiling and talking to you always.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.

LED  Low Voltage IP65 SMD AREEK

	W	LUM	CCT	BEAM	CRI	Dia	H
FL948	20	2822	3000K	/	80	Ø170	1076





LED garden light

Shielded light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass

3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

RAL 9005
 RAL 9016
 RAL 9006

You could easily tell the similarity between these luminaires and mushrooms. They are a mushroom family of multiple heights. It is very meaningful, because you could create a forest of mushrooms by adjusting the position of these lights. You can have interaction with them. This is the real meaning of these garden lights and the inspiration of the designers.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED
 AC 220-240 V
 IP65
 SMD
 AREEK

	W	LUM	CCT	BEAM	CRI	Dia 1	Dia 2	H
FL949A	20	2780	3000K	/	80	Φ170	Φ72	310
FL949B	20	2780	3000K	/	80	Φ170	Φ72	460
FL949C	20	2780	3000K	/	80	Φ170	Φ72	610





LED garden light

Symmetrical light distribution

Protection class IP 65
 Cast aluminum, aluminum and safety glass
 3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9016 □ RAL 9006

The light coming out from these lighting fixtures is the real thing. It casts downwards, resulting to two areas of soft rays with very gentle curve edge. They are gentlemen of garden lights-standing there quietly in suits of different colors. Needless to say, they can fit different environment perfectly. Don't forget, there are two designs in this series for you to choose from.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED AC 220-240 V IP65 Bridgelux KEGU

	W	LUM	CCT	BEAM	CRI	W	H	T
FL951	7	630	3000K	/	80	140	800	46
FL952	7	612	3000K	/	80	140	800	46





LED garden light

Symmetrical light distribution

Protection class IP 65

Cast aluminum, aluminum and safety glass

3 years' availability guarantee

LED color temperature: 2700K, 3000K, 4000K

Finish color

■ RAL 9005 □ RAL 9006 □ RAL 9016

The light coming out from these lighting fixtures is the real thing. It casts downwards, resulting to two areas of soft rays with very gentle curve edge. They are gentlemen of garden lights-standing there quietly in suits of different colors. Needless to say, they can fit different environment perfectly. Don't forget, there are two designs in this series for you to choose from.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED ⚡ AC 220-240 V IP65 TELEYA KEGU

	W	LUM	CCT	BEAM	CRI	W	H	T
FL961	8	320	3000K	/	80	158	650	40





LED garden light

Shielded light distribution

Protection class IP 65
Terrazzo and safety glass
3 years' availability guarantee


LED color temperature: 2700K, 3000K, 4000K

There is one thing for sure: Mogulite is precisely the shining point of what's been missing in our landscaping. About Mogulite, you will love its mushroom new concepts design, matte gypsum finished and pleasant anti-glare. The mushroom design and anti-glare light performance, make your garden warmer and more vitality.

The design of the luminaires may get upgraded and the specifications of them may be adjusted by different degree. Please visit our website and check the detail description and specification of the luminaires. For the products that you are interested in, you could find there all the needed information: power, luminous flux, CCT, CRI, etc.



LED  220-240 V IP65 TEYEYA DONE



	W	LUM	CCT	BEAM	CRI	D1	D2	H
FL963	16	1138	3000K	/	80	Ø245	Ø120	275

Terrazzo C

Terrazzo F