

**KETAI**<sup>®</sup>



KT7074

KT7073

KT7075

## LESS

LESS downlight is the combination of the different luminaire models and an ambitious range of lumen packages, good for applications requiring for consistency design both in narrow space and wide space.



# LESS

## Control Type



## Luminaire specifications

Mode	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	CRI
KT7070	3W	207	3000K	5/12/25/40°	Φ35	Bridgelux	KEGU	90
KT7071	6W	433	3000K	3/6/10/20/40°	Φ45	Bridgelux	KEGU	90
KT7072	8W	548	3000K	20/40/60°	Φ55	Bridgelux	KEGU	90
KT7073	12W	881	3000K	15/25/38/60°	Φ65	Bridgelux	KEGU	90
KT7074	20W	1475	3000K	15/24/38°	Φ95	Bridgelux	KEGU	90
KT7075	25W	1741	3000K	15/24/38/55°	Φ105	Bridgelux	KEGU	90

All values are measured at 220V(+/- 10%).  
 Color temperature range 2700K/3000K/3500K/4000K/5000K/6000K/Tunable White.  
 Colour Rendering Index (CRI) CRI80, CRI90  
 Die-casting Aluminum

## Front Ring Finishing color




## Replaceable Accessories




## Frame Finishing color

- Black RAL9005
- Grey RAL9006
- White RAL9016







KT7070, 3W, 207LUM




KT7073, 12W, 881LUM




KT7071, 6W, 433LUM




KT7074, 20W, 1475LUM



KT7072, 8W, 548LUM



KT7075, 25W, 1741LUM





KT7072

KT7071

KT7075



KETAI INDUSTRIES LIGHTING CO.,LTD.  
Ketai Building, 4 Mashe New Street, Lishui, Nanhai,  
Foshan Guangdong, China  
T : +86 757 8560 7707  
F : +86 757 8563 3675  
E : sales@ketailighting.com

Join Us!

[www.ketailighting.com](http://www.ketailighting.com)

**KETAI**<sup>®</sup>