



Morris

The unique appearance is friendly for commercial, retail and hospitality lighting.
For different lighting requirements, we have three kinds of optics for option.
The lamp A series with aluminium reflector can provide a higher lumen output.
The B lens series has very clean facula and accurate beam angle. The whole lamp also has good performance in deep anti-glare.
The C lens series mix the functions of reflector and lens so that it can make balance between lumen output and anti-glare.



MHT8902
MHT8903
MHT8904



MHT8902A
MHT8903A
MHT8904A



MHT8902B
MHT8903B
MHT8904B

Control Type

- On-off
- 0-10V
- Phase-Cut
- DALI
- Casambi


Luminaire specifications

Mode	Power	Lumen	CCT	BA.	Light Source	Driver	CRI
MHT8902	10W	919	3000K	12/24/36/60°	Bridgelux	TRIDONIC	90
MHT8903	20W	2180	3000K	12/24/36/60°	Bridgelux	TRIDONIC	90
MHT8904	28W	2681	3000K	12/24/36/60°	Bridgelux	TRIDONIC	90
MHT8902A	10W	1105	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
MHT8903A	20W	1567	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
MHT8904A	28W	2273	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
MHT8902B	10W	1259	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
MHT8903B	20W	1947	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
MHT8904B	28W	2629	3000K	10/15/24/36/50°	Bridgelux	TRIDONIC	90
SL408	10W	919	3000K	24/36/60°	Bridgelux	OSRAM	90
SL409	20W	2180	3000K	24/36/60°	Bridgelux	OSRAM	90
SL410	28W	2681	3000K	24/36/60°	Bridgelux	OSRAM	90

All values are measured at 220V(+/- 10%).
 Color temperature range 2700K/3000K/3500K/4000K/5000K/6000K/Tunable White.
 Colour Rendering Index (CRI) CRI80, CRI90
 Die-casting Aluminum

Frame Finishing color

- Black RAL9005
- Grey RAL9006
- White RAL9016






IP20

220V
240V




MHT8902A, 10W, 1105LUM




MHT8902A

MHT8903A, 20W, 1567LUM



MHT8903A


MHT8904A, 28W, 2273LUM




MHT8904A

Morris


MHT8902B, 10W, 1259LUM



MHT8903B, 20W, 1947LUM



MHT8904B, 28W, 2629LUM






IP20

220V
240V




SL408, 10W, 919LUM




SL408

SL409, 20W, 2180LUM



SL409


SL410, 28W, 2681LUM




SL410

Morris


MHT8902, 10W, 919LUM



MHT8903, 20W, 2180LUM



MHT8904, 28W, 2681LUM





KETAI INDUSTRIES LIGHTING CO.,LTD.
Ketai Building, 4 Mashe New Street, Lishui, Nanhai,
Foshan Guangdong, China
T : +86 757 8560 7707
F : +86 757 8563 3675
E : sales@ketaitlighting.com

Join Us!

www.ketaitlighting.com

KETAI[®]