




Cutout $\Phi 68\text{mm}$ - $\Phi 75\text{ mm}$

KETAI[®]





Germany-Specific Size



One family , one word of design.

Wide options for optics and front ring.

Cutout Dia. 68mm - 72mm



KT7419



KT7421



KT7420

Three personalized downlight display styles to meet different customer needs.



KT7418



One housing with different color front rings.



KT7423



KT7422

Double anti-glare, Wall washer & Down light.

Double the sense of light and comfort, the narrow frame design blends into the ceiling.



Φ68 - Φ75 Cutout Series - Recessed Downlight



Light distribution
3000K CRI 90

KT7418		35°
h (m)	E0° (lx)	Φ (m)
1	3544	0.61
2	866.1	1.22
3	393.8	1.83
4	221.5	2.44
5	141.8	3.05



Light distribution
3000K CRI 90

KT7419		36°
h (m)	E0° (lx)	Φ (m)
1	4162	0.66
2	1041	1.32
3	462.5	1.99
4	260.1	2.65
5	166.5	3.31



Light distribution
3000K CRI 90

KT7420		51°
h (m)	E0° (lx)	Φ (m)
1	2016	0.95
2	503.9	1.90
3	224.0	2.84
4	126.0	3.79
5	80.6	4.74



Light distribution
3000K CRI 90

KT7421		32°
h (m)	E0° (lx)	Φ (m)
1	2704	0.58
2	676.0	1.15
3	300.5	1.73
4	109.0	2.31
5	108.2	2.89



Light distribution
3000K CRI 90

KT7422		45°
h (m)	E0° (lx)	Φ (m)
1	2507	0.84
2	626.7	1.68
3	278.5	2.51
4	156.7	3.36
5	100.3	4.19



Light distribution
3000K CRI 90

KT7423		52°
h (m)	E0° (lx)	Φ (m)
1	355.7	0.98
2	88.9	1.96
3	39.5	2.95
4	22.2	3.93
5	14.2	4.91



Control type on request

On-off 0-10V Phase-Cut DALI Casambi

Luminaire specifications Die-casting Aluminum

Mode	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	IP	CRI
KT7418	15W	1449	3000K	11°	Φ68 - Φ75	Bridgelux	KGP	20	90
KT7419	15W	1676	3000K	24°	Φ68 - Φ75	Bridgelux	KGP	20	90
KT7420	15W	1338	3000K	51°	Φ68 - Φ75	Bridgelux	KGP	20	90
KT7421	15W	950	3000K	32°	Φ68 - Φ75	Bridgelux	KGP	20	90
KT7422	15W	1453	3000K	50°	Φ68 - Φ75	Bridgelux	KGP	20	90
KT7423	15W	423	3000K	52°	Φ68 - Φ75	Bridgelux	KGP	20	90

Frame finishing colour


Core Colours




Creative Colours



Colour temperature range



Colour Rendering Index




Beam angle


KT7418




KT7419/KT7420/KT7421/KT7422/KT7423




KT7418




KT7419




KT7420



KT7421



KT7422



KT7423