

90+ CRI

LHIGHEST


QUALITY

NEW

LumiPro




Illuminate Your Beauty with
Precision




LumiPro
Superior Brightness &
Precision
1.5x Brighter, 30% More
Efficient

VS




Wall washer: 60% wall
light + 40% side light



Normal downlight: 75%
wall light + 25% side light






90+ CRI
Highest Quality
LED Technology



Efficient heat dissipation
structure with a lifespan
up to 50,000 hours




50° Beam Angle for
Flawless Light Distribution
Wall washer with 60%
walllight + 40% side light



Small housing with Max
15W





Ideal For:
-Vanity Mirrors | Salon
Stations Luxury Bathrooms





LumiPro - Recessed Downlight



Light distribution

3000K CRI 90

KT7481 15W			50°
h (m)	E0° (lx)	Φ (m)	
1	2113	0.61	
2	528.2	1.23	
3	234.8	1.84	
4	132.1	2.45	
5	84.51	3.06	



Control Type on request



Luminaire specifications


Model	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	IP	CRI
KT7474	15W	1448	3000K	50°	Ø75	Bridgelux	KEGU	20	90

Frame finishing colour


Core Colours



Colour temperature range



Colour Rendering Index




Front Reflector color



Beam angle

KT7474



KT7474