

NEW




Aura - Surface Mounted Light


DYNAMICS



DAWN



SUNSET GLOW



REMOTE CONTROL FOR PRECISE LIGHT COLOR CONTROL





DYNAMICS



NIGHT LIGHT



DAWN



CLEAR SKY



BLUE SKY



SUNSET GLOW





Precise dimming
flexible matching

True Color Rendering:


CRI 80

CRI 90



Tight and seamless ceiling





Durable ABS frame, sleek design

Aura - Surface Mounted Light



220V
240V



Control Type on request



On-off



0-10V



Phase-Cut



DALI



Casambi

Luminaire specifications

Model	Power	Lumen	CCT	BA.	Light Source	Driver	IP	CRI
XD9040	70W	/	1800K-12000K	114°	KR3535	KGP	20	90
XD9041	70W	/	1800K-12000K	114°	KR3535	KGP	20	90
XD9042	160W	/	1800K-12000K	114°	KR3535	KGP	20	90

Frame finishing colour

Core Colours



Black
RAL9005



Grey
RAL9006



White
RAL9016

Creative Colours



Matt
Silver



Golden
Champagne



Rose
Golden



Blue
Peacock



DAG



Copper

Colour temperature range



2700K



3000K



3500K



4000K



5000K



6000K



Tuneable
White

Colour Rendering Index



CRI90



CRI80

Front Reflector color



Black
RAL9005




White
RAL9016

Beam angle


XD9040/XD9041/XD9042




114°



XD9040



XD9041



XD9042