

**NEW**



KT7482



KT7483



KT7484




# **Stellar**

## **Mini LED Light**



# Trimless

For seamless ceilings



茶饮  
休闲  
下楼

CHIEICINI /  
KIEICINI / ITOIN



Hide in ceilings, shine like constellations

# Stellar - Recessed Downlight



**Light distribution**  
2700K CRI 90

KT7482 2W			30°
h (m)	E0° (lx)		Φ (m)
1	362.8		0.50
2	90.7		1.01
3	40.3		1.51
4	22.6		2.01
5	14.5		2.51



**Light distribution**  
2700K CRI 90

KT7483 2W			13°
h (m)	E0° (lx)		Φ (m)
1	1746		0.23
2	436.5		0.46
3	194.0		0.69
4	109.1		0.92
5	69.8		1.15



**Light distribution**  
2700K CRI 90

KT7484 2W			23°
h (m)	E0° (lx)		Φ (m)
1	371.8		0.40
2	92.9		0.81
3	41.3		1.21
4	23.2		1.61
5	14.87		2.01

**Control Type on request**

- On-off
- 0-10V
- Phase-Cut
- DALI
- Casambi



**Luminaire specifications**

Model	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	IP	CRI
KT7482	2W	122	2700K	25°	Ø26	SMD	KEGU	20	90
KT7483	2W	139	2700K	15°	Ø32	SMD	KEGU	20	90
KT7484	2W	100	2700K	25°	Ø38	SMD	KEGU	20	90

**Frame finishing colour**

Core Colours



**Colour temperature range**



**Colour Rendering Index**




**Front Reflector color**



**Beam angle**

KT7483      KT7482/KT7484






**Narrow Trim**  
For classic elegance







Install stars, not lights

# Stellar - Recessed Downlight



KT7478

NEW

## Light distribution

2700K CRI 90

KT7478 2W		26°	
h (m)	E0° (lx)	Φ (m)	
1	414.5	0.46	
2	103.6	0.92	
3	46.1	1.37	
4	25.9	1.83	
5	16.5	2.29	



KT7479

NEW

## Light distribution

2700K CRI 90

KT7479 2W		13°	
h (m)	E0° (lx)	Φ (m)	
1	1746	0.23	
2	438.9	0.46	
3	194.1	0.69	
4	109.1	0.92	
5	70.2	1.15	



KT7480

NEW


## Light distribution

2700K CRI 90

KT7480 2W		24°	
h (m)	E0° (lx)	Φ (m)	
1	386.1	0.43	
2	96.5	0.86	
3	42.9	1.29	
4	24.1	1.72	
5	15.4	2.14	

## Control Type on request

- On-off
- 0-10V
- Phase-Cut
- DALI
- Casambi



## Luminaire specifications

Model	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	IP	CRI
KT7478	2W	122	2700K	25°	Ø20	SMD	KEGU	20	90
KT7479	2W	134	2700K	15°	Ø25	SMD	KEGU	20	90
KT7480	2W	97	2700K	25°	Ø30	SMD	KEGU	20	90

## Frame finishing colour

Core Colours



## Colour temperature range



## Colour Rendering Index




## Front Reflector color



## Beam angle

KT7479      KT7478/KT7480



KT7478

KT7479

KT7480