

# Fast install LED Module

LED modules with seamless connection designs, to match front ring just like an integrated LED light.



# 130 LM/W SDCM<1



Upgrade your space with our  
NEW LED Modules!



KT7499



KT7498



KT7492



KT7493



KT7494



KT7495




KT7496




KT7497

Modular, looking like an integrated lamp  
Small cutout size, while high power output





KT7514



High grade color available  
Front ring matching GU10 bulb to be retrofit  
lamp as another option



NEW




LED Module  
Superior Brightness &  
Precision  
1.5x Brighter, 30% More  
Efficient



KT7516

Illuminate Your Beauty with  
Precision

VS



Wall washer: 60% wall  
light + 40% side light




Normal downlight: 75%  
wall light + 25% side light



# North America Market Downlight



**Power Switchable & CCT Switchable**



Warm...Neutral...White

2700K 3000K 3500K 4000K 5000K

# Fast install LED Module



## System Output Specifications

| Model            | Power | Lumen | CCT   | BA. | Cutout | Light Source | Driver | IP | CRI |
|------------------|-------|-------|-------|-----|--------|--------------|--------|----|-----|
| Lens Module      | 15W   | 1894  | 3000K | 36° | Φ75    | Bridgelux    | KEGU   | 20 | 90  |
| Reflector Module | 15W   | 1462  | 3000K | 36° | Φ75    | Bridgelux    | KEGU   | 20 | 90  |
| KT7516 Lens      | 15W   | 703   | 3000K | 36° | Φ75    | Bridgelux    | KEGU   | 20 | 90  |
| KT7517 Lens      | 15W   | 159   | 3000K | 36° | Φ75    | Bridgelux    | KEGU   | 20 | 90  |

### Colour temperature range




### Colour Rendering Index




### Front Reflector color




### Beam angle



# Spectrum



Spectral Distribution



CIE1931 Chromaticity Diagram

# 130 LM/W SDCM<1

Glareless Module With Lens And Reflector Versions



**Surface Mounted Light**

封底

9.5CM

封面

9.5CM

封面内页

9.5CM

封底内页

9.5CM

12.5CM

**KETAI®**

26  
NEW

KETAI INDUSTRIES LIGHTING CO., LTD  
Ketai Building, 4 Mashe New Street  
Lishui, Nanhai, Post code 528244, Foshan  
Guangdong, China  
Phone: +86 757 8560 7707  
Fax: +86 757 8560 3675  
e-mail: sales@ketailighting.com

**FAST INSTALL LED MODULE**

0.5CM

JOIN US

|         |                      |           |        |
|---------|----------------------|-----------|--------|
| 1999    | 40,000m <sup>2</sup> | 300+      | 60+    |
| Founded | Area                 | Personnel | Patent |

内页正面

63CM

36CM


9CM





**Surface Mounted Light**

**LED Module**  
Efficient Heat Dissipation  
Unique brain pattern heat sink  
Optic option: Reflector & Lens



Ø75mm 15W



Upgrade your space with our NEW LED Modules!






**Recessed Housing**



**Fast Installation**



**Spectrum**  
1.0 • 2.21e+100lm/W  
0.3 SDCM

**130 LM/W SDCM<1**  
Glareless Module With Lens And Reflector Versions



**Power Switchable & CCT Switchable**



**Fast install LED Module**

LED modules with seamless connection designs, to match front ring just like an integrated LED light.



**North America Market Downlight**












Warm...Neutral...White

内页背面

63CM

36CM

63CM

|   |  |   |   |   |  |  |
|---|--|---|---|---|--|--|
| <p>KT7492</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7492<br/>Ø75mm</p> |   | <p>KT7493</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7493<br/>Ø75mm</p> |    | <p>KT7494</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7494<br/>Ø75mm</p> |   |  |
| <p>KT7516</p> <p>Power 15W<br/>Lens Module Lumen 702</p>   | <p>KT7495</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7495<br/>Ø75mm</p>          |    | <p>KT7496</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7496<br/>83x83<br/>Ø75x75mm</p>    |    | <p>KT7497</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7497<br/>98x98<br/>Ø75x75mm</p>               |   |
| <p>KT7517</p> <p>Power 15W<br/>Lens Module Lumen 150</p>    | <p>KT7514</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7514<br/>Ø80<br/>Ø75mm</p> |   | <p>KT7498</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7498<br/>158x88<br/>Ø150x75mm</p> |   | <p>KT7499</p> <p>Power 15W<br/>Lens Module Lumen 1894<br/>Reflector Module Lumen 1462</p>  <p>KT7499<br/>147x75<br/>233x50<br/>Ø150x75mm</p> |  |