



LED spotlight

3 degree to spotlight the essential



**Launch a series of 4 ° extremely narrow beam angles to
return to the essence of light - guidance and focus.**

High Intensity, Long Throw

At the same wattage, the center beam intensity is more than double that of standard spotlights. Even in spaces with 3–5 m (10–16 ft) ceilings the beam maintains its intensity without fading or scattering.

Deep Anti-Glare, almost Zero Discomfort

Crisp Cut-Off, Precise Framing

The beam edge is sharply defined, with no distracting spill light.



other products

Series of products



MHT9052




XD9052




KT9053

Selection of multiple installation modes and application of various scenarios



Track light



Recessed Downlight



Surface Mounted Light



Track Light-Walker in space



Ceiling Light - The Elegant Solution for Slab Ceiling



Recessed Downlight – Sculptor of Walls

4° Extreme Narrow Beam



Light distribution

2700K CRI 90

MHT9052 3W		4°
h (m)	E0° (lx)	Φ (m)
1	12626	0.75
2	3156	1.45
3	1403	2.24
4	789.1	3.00
5	505	3.74



Light distribution

2700K CRI 90

XD9052 3W		4°
h (m)	E0° (lx)	Φ (m)
1	12626	0.75
2	3156	1.45
3	1403	2.24
4	789.1	3.00
5	505	3.74



Light distribution

2700K CRI 90

KT9052 3W		4°
h (m)	E0° (lx)	Φ (m)
1	12626	0.75
2	3156	1.45
3	1403	2.24
4	789.1	3.00
5	505	3.74

Control Type on request



Luminaire specifications


Model	Power	Lumen	CCT	BA.	Cutout	Light Source	Driver	IP	CRI
MHT9052	3W	161	2700K	4°	/	OSRAM 3535	KEGU	20	90
XD9052	3W	161	2700K	4°	/	OSRAM 3535	KEGU	20	90
KT9052	3W	161	2700K	4°	ø55	OSRAM 3535	KEGU	20	90

Frame finishing colour


Core Colours



Colour temperature range



Colour Rendering Index




Front Reflector color




Beam angle


MHT9052/XD9053/KT9052



MHT9052



XD9052



KT9052



KETAI[®]

KETAI INDUSTRIES LIGHTING CO., LTD

Ketai Building, 4 Mashe New Street
Lishui, Nanhai, Post code 528244, Foshan
Guangdong, China

Tel: +86 757 8560 7707

Fax: +86 757 8563 3675

e-mail: sales@ketailighting.com